

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,824	10/043,824 01/11/2002		Joseph Rustad	16010-05885	7891
758	7590	09/21/2005		EXAMINER	
FENWICK	& WEST	Γ LLP		JEAN GILI	ES, JUDE
SILICON V 801 CALIFO			ART UNIT	PAPER NUMBER	
MOUNTAI			2143		
				DATE MAILED, 00/21/200	-

DATE MAILED: 09/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

1							
		Application No.	Applicant(s)				
		10/043,824	RUSTAD, JOSEPH				
	Office Action Summary	Examiner	Art Unit				
		Jude J. Jean-Gilles	2143				
Ti Period for R	he MAILING DATE of this communication app eply	ears on the cover sheet with the c	correspondence address				
WHICHE - Extension after SIX (- If NO peri - Failure to Any reply	TENED STATUTORY PERIOD FOR REPLY EVER IS LONGER, FROM THE MAILING DASS of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. Od for reply is specified above, the maximum statutory period verply within the set or extended period for reply will, by statute, received by the Office later than three months after the mailing tent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠ Re	sponsive to communication(s) filed on <u>11 Ja</u>	anuary 2002.	•				
	↑ This action is FINAL. 2b) This action is non-final.						
	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition	of Claims						
4)⊠ Cla	Claim(s) 33-40 is/are pending in the application.						
· ·	4a) Of the above claim(s) is/are withdrawn from consideration.						
·	Claim(s) is/are allowed.						
· · · · · · · · · · · · · · · · · · ·	Claim(s) <u>33-40</u> is/are rejected. Claim(s) is/are objected to.						
•	aim(s) are subject to restriction and/o	r election requirement.					
Application	Panore	•					
	•	_					
9)⊠ The specification is objected to by the Examiner. 10)⊠ The drawing(s) filed on <u>11 January 2002</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Re	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority und	er 35 U.S.C. § 119						
12) <u></u> Ack	nowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:							
• • •	1. Certified copies of the priority documents have been received.						
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 							
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
	•	•					
Attachment(s)							
1) Notice of	References Cited (PTO-892)	4) Interview Summary					
	Draftsperson's Patent Drawing Review (PTO-948) on Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	· —	ate Patent Application (PTO-152)				
	(s)/Mail Date <u>07/18/2005</u> .	6) Other:					
S. Patent and Traden	MAIK Office		1 4 5 1 4 1 5 1 00 t 00 t 00 t 00 t 00 t 00 t 00				

DETAILED ACTION

This Action is in regards to the Reply received on 06/30/2005.

Response to Amendment

1. This action is responsive to the application filed on 06/30/2005. Claims 1-32 have been cancelled. No claim is amended. Claims 33-40 are newly added. Claims 33-40 are now pending. Claims 33-40 represent a method and apparatus for "Fast transaction response time prediction across multiple delay sources."

Response to Arguments

2. Applicant's arguments with respect to claims 33-40 have been carefully considered, but are not deemed fully persuasive. Applicant's arguments are deemed moot in view of the following ground of rejection as explained here below.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2143

4. Claims 33-40 are rejected under 35 U.S.C. 102(e) as being anticipated by Qin et al (Qin), Patent No. 6,393,480 B1.

Regarding **claim 33**, Qin discloses a method of predicting the performance of an application in a multi-hop network, the multi-hop network comprising a client and a server, the method comprising:

- determining, for each thread of the application, a set pf application factors

 corresponding to a set of functions performed by the application, the

 application factors being independent of the network and of a network flow

 control protocol, the application factors comprising average packet size (column

 8, lines 46-54) and average node send time (column 4, lines 29-41);
- determining a set of network delay times corresponding to a series of network delay sources along the multi-hop network path, the network delay sources comprising a queuing delay, a bandwidth delay, a bottleneck delay, and one of a transmission delay, a constant delay, and a node delay (column 5, lines 3-66; column 8, lines 1-67; column 9, lines 25-67; column 10, lines 1-65);
- determining a set of network flow factors corresponding to the network flow control protocol, the network flow factors comprising a number of turns added per direction, the direction relative to the client and the server (column 5, lines 40-67; column 8, lines 8-62; fig. 8, item 806);
- determining a duration of each thread of the application based on the application factors, the network delay times and the network flow factors (column 5, lines 1-9); and

Art Unit: 2143

determining a total response time based on the durations of the threads (column 5, lines 1-9).

Regarding **claim 34**, Qin discloses the method of claim 33, wherein said determining a set of network flow factors comprises generating a histogram of node send time, and determining the number of turns added per direction based on the histogram (fig. 3, item 306; column 8, lines 8-62).

Regarding **claim 35**, Qin discloses an apparatus for predicting the performance of an application in a multi-hop network, the multi-hop network comprising a client and a server, the apparatus comprising:

means for determining, for each thread of the application, a set of application factors corresponding to a set of functions performed by the application, the application factors being independent of the network and of a network flow control protocol, the application factors comprising average packet size (column 8, lines 46-54) and average node send time (column 4, lines 29-41);

means for determining a set of network delay times corresponding to a series of network delay sources along the multi-hop network path, the network delay sources comprising a queuing delay, a bandwidth delay, a bottleneck delay, and one of a transmission delay, a constant delay, and a node delay(column 5, lines 3-66; column 8, lines 1-67; column 9, lines 25-67; column 10, lines 1-65);

means for determining a set of network flow factors corresponding to the network flow control protocol, the network flow factors comprising a number of turns

added per direction, the direction relative to the client and the server (column 5, lines 40-67; column 8, lines 8-62; fig. 8, item 806);

means for determining a duration of each thread of the application based on the application factors, the network delay times and the network flow factors(column 5, lines 1-9); and means for determining a total response time based on the durations of the thread (column 5, lines 1-9).

Regarding **claim 36**, Qin discloses the apparatus of claim 35, wherein said means for determining a set of network flow factors comprises means for generating a histogram of node send time, and means for determining the number of turns added per direction based on the histogram (fig. 3, item 306; column 8, lines 8-62).

Regarding **claim 37**, Qin discloses a computer readable medium comprising computer readable instructions which, when executed by a processing system, cause the processing system to perform a method of predicting the performance of an application in a multi-hop network, the multi-hop network comprising a client and a server, the method comprising:

determining, for each thread of the application, a set of application factors

corresponding to a set of functions performed by the application, the

application factors being independent of the network and of a network flow

control protocol, the application factors comprising average packet size (column

8, lines 46-54) and average node send time (column 4, lines 29-41);

determining a set of network delay times corresponding to a series of network delay

sources along the multi-hop network path, the network delay sources comprising a queuing delay, a bandwidth delay, a bottleneck delay, and one of a transmission delay, a constant delay, and a node delay (column 5, lines 3-66; column 8, lines 1-67; column 9, lines 25-67; column 10, lines 1-65);

determining a set of network flow factors corresponding to the network flow control protocol, the network flow factors comprising a number of turns added per direction, the direction relative to the client and the server (column 5, lines 40-67; column 8, lines 8-62; fig. 8, item 806);

determining a duration of each thread of the application based on the application factors, the network delay times and the network flow factors (column 5, lines 1-9); and determining a total response time based on the durations of the threads (column 5, lines 1-9).

Regarding **claim 38**, Qin discloses the medium of claim 37, further comprising computer readable instructions which, when executed by the processing system, cause the processing system to generate a histogram of node send time and to determine the number of turns added per direction based on the histogram (fig. 3, item 306; column 8, lines 8-62).

Regarding **claim 39**, Qin discloses an apparatus for predicting the performance of an application in a multi-hop network, the multi-hop network comprising a client and a server, the apparatus comprising:

application factor logic for determining, for each thread of the application, a set of

Art Unit: 2143

application factors corresponding to a set of functions performed by the application, the application factors being independent of the network and of a network flow control protocol, the application factors comprising average packet size (column 8, lines 46-54) and average node send time (column 4, lines 29-41);

- delay time logic for determining a set of network delay times corresponding to a series of network delay sources along the multi-hop network path, the network delay sources comprising a queuing delay, a bandwidth delay, a bottleneck delay, and one of a transmission delay, a constant delay, and a node delay (column 5, lines 3-66; column 8, lines 1-67; column 9, lines 25-67; column 10, lines 1-65);
- flow factor logic for determining a set of network flow factors corresponding to the network flow control protocol, the network flow factors comprising a number of turns added per direction, the direction relative to the client and the server (column 5, lines 40-67; column 8, lines 8-62; fig. 8, item 806);
- first duration logic for determining a duration of each thread of the application based on the application factors, the network delay times and the network flow factors (column 5, lines 1-9); and

second duration logic for determining a total response time based on the durations of the threads (column 5, lines 1-9).

Regarding **claim 40**, Qin discloses the apparatus of claim 39, wherein said flow factor logic for determining a set of network flow factors comprises logic for generating a

Page 8

histogram of node send time, and logic for determining the number of turns added per direction based on the histogram (fig. 3, item 306; column 8, lines 8-62).

Response to Arguments

- 5. Applicant's Request for Reconsideration filed on 06/30/2005 has been carefully considered but is not deemed fully persuasive. However, because there exists the likelihood of future presentation of this argument, the Examiner thinks that it is prudent to address Applicants' main points of contention.
 - A. Applicant has cancelled claims 1-32 without prejudice to preserve applicant's right to continue prosecution and that applicant does not concede or believes that such claims were in fact disclosed or taught by the cited prior art.
 - B. Applicant contends that new claims 33-40 have been added and that are patentably distinguishable over the cited reference.
- 6. As to "Point A" it is the position of the Examiner that the Qin patent in detail teaches the limitations of the cancelled claims as indicated in the First Office Action issued on 02/25/2005.

As to "Point B", it is also the Examiner's position that the Qin patent clearly anticipates the limitation of new claims 33-40 [see rejection of claims 33-40 above]

Art Unit: 2143

Conclusion

Page 9

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley, can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-9000.

Jude Jean-Gilles

Patent Examiner

Art Unit 2143

JJG

September 17, 2005



DAVID WILEY
SUPPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100